Author Index, Volume 11

Aines RD, Kirby SH, Rossman GR: Hydrogen speciation in synthetic quartz 204–212
Amthauer G, Rossmann GR: Mixed valence of iron in minerals with cation clusters 37–51
Arndt J, see Diemann E 178–181
Ashworth JR, Schneider H: Deformation and transformation in experimentally shock-loaded quartz 241–249
Bassett WA, see Calas G, et al. 17–36
Bershov LV, see Gaft ML, et al. 255–260
Burton B: Thermodynamic analysis of the system $Fe_2O_3-FeTiO_3$ 132–139
Burton B, Kikuchi R: The antiferromagnetic-paramagnetic transition in αFe_2O_3 in the single prism approximation of the cluster variation method 125–131
Busing WR, see Matsui M 55–59
Calas G, Bassett WA, Petiau J, Steinberg M, Tchoubar D, Zarka A: Some mineralogical applications of synchrotron radiation 17–36
Calle C de la, see Sanz J, et al. 235–240
Carletti E, see Sacerdoti M, et al. 2–4
Caruba R, see Iacconi P 195–203
Cashion JD, see McCammon CA, et al. 182–193
Čejka J Jr, Muck A, Čejka J: To the infrared spectroscopy of natural uranyl phosphates 172–177
Čejka J, see Čejka J Jr, et al. 172–177
Cooper RF, Kohlstedt DL: Sintering of olivine and olivine-basalt aggregates 5–16
De Geyter G, see De Grave E, et al. 85–94
De Grave E, Vanleerberghe R, Verdonck L, De Geyter G: Mössbauer and infrared spectroscopic studies of belgian chloritoids 85–94
Diemann E, Arndt J: Diaplectic labradorite glass from the Manicouagan impact crater: II. X-ray diffraction studies and structural model 178–181
Freund F, King BV: A new solid state diffusion model applied to inverse zoning and diffusion rims in minerals 113–124
Gaft ML, Bershov LV, Krasnaya AR, Yaskolko VYa: Luminescence centers in anhydrite, barite, celestite and their synthesized analogs 255–260
Geisinger KL, Gibbs GV, Navrotsky A: A molecular orbital study of bond length and angle variations in framework structures 266–283
Geisinger KL, see Navrotsky A, et al. 284–298
Ghose S, Hewat AW, Marezio M: A neutron powder diffraction study of the crystal and magnetic structures of ilvaite from 305 K to 5 K – a mixed valence iron silicate with an electronic transition 67–74
Gibbs GV, see Geisinger KL, et al. 266–283
Gibbs GV, see Navrotsky A, et al. 284–298
Giletti BJ, see Kronenberg AK, et al. 101–112
Goeminne A, see Vochten R 95–100
Graziani G, see Scandale E, et al. 60–66
Hartman P: Structural morphology of orthorhombic sulphur 149–152
Hermeling J, Schmalzried H: Tracerdiffusion of the Fe-cations in olivine $(Fe_xMg_{1-x})_2SiO_4$(III) 161–166
Hewat AW, see Ghose S, et al. 67–74
Hofmeister AM, Rossman GR: Determination of Fe^{3+} and Fe^{2+} concentrations in feldspar by optical absorption and EPR spectroscopy 213–224
Iacconi P, Caruba R: Trapping and emission centres in X-irradiated natural zircon. Characterization by thermoluminescence 195–203
Jackson I, see Webb SL, et al. 167–171
Jackson I, see McCammon CA, et al. 182–193
Jeanloz R, Johnson ML: A note on the bonding, optical spectrum and composition of tetrahedrite 52–54
Johnson ML, see Jeanloz R 52–54
Khomenko VM, Platonov AN: Electronic absorption spectra of Cr^{3+} ions in natural clinopyroxenes 261–265
Kikuchi R, see Burton B 125–131
King BV, see Freund F 113–124
Kirby SH, see Aines RD, et al. 204–212
Kohlstedt DL, see Cooper RF 5–16
Kohlstedt DL, see Olsen TS 153–160
Krasnaya AR, see Gaft ML, et al. 255–260
Kronenberg AK, Yund RA, Giletti BJ: Carbon and oxygen diffusion in calcite: effects of Mn content and P_{H_2O} 101–112
Lucchesi S, see Scandale E, et al. 60–66
Malinowski M, see Mirwald PW, et al. 140–148
Marezio M, see Ghose S, et al. 67–74
Martinelli G, see Sacerdoti M, et al. 2–4
Matsui M, Busing WR: Computational modeling of the structure and elastic constants of the olivine and spinel forms of Mg_2SiO_4 55–59
Mattson SM, Rossman GR: Ferric iron in tourmaline 225–234
McCammon CA, Price DC: Mössbauer spectra of Fe_xO ($x>0.95$) 250–254
McCammon CA, Jackson I, Ringwood AE, Cashion JD: The binary systems FeS – MgS and FeS – MnS: Mössbauer spectroscopy of the B1 solid solutions and high-pressure phase equilibria 182–193
McMillan P, see Navrotsky A, et al. 284–298
Mirwald PW, Malinowski M, Schulz H: Isothermal compression of low-cordierite to 30 Kbar (25° C) 140–148
Morettini L, see Sacerdoti M, et al. 2–4
Muck A, see Čejka J Jr, et al. 172–177
Navrotsky A, Geisinger KL, McMillan P, Gibbs GV: The tetrahedral framework in glasses and melts – inferences from molecular orbital calculations and implications for structure, thermodynamics, and physical properties 284–298
Navrotsky A, see Geisinger KL, et al. 266–283
Olsen TS, Kohlstedt DL: Analysis of dislocations in some naturally deformed plagioclase feldspars 153–160
Petiau J, see Calas G, et al. 17–36
Platonov AN, see Khomenko VM 261–265
Price DC, see McCammon CA 250–254
Ringwood AE, see McCammon CA, et al. 182–193
Rossman GR, see Aines RD, et al. 204–212
Rossman GR, see Hofmeister AM 213–224
Rossman GR, see Mattson SM 225–234
Rossmann GR, see Amthauer G 37–51
Sacerdoti M, Carletti E, Morettini L, Martinelli G: TEM evaluation of imaginary potential in potassium feldspar 2–4
Sanz J, Calle C de la, Stone WEE: NMR applied to minerals. V. The localization of vacancies in the octahedral sheet of aluminous biotites 235–240
Scandale E, Lucchesi S, Graziani G: Optical anomalies of beryl crystals 60–66
Schmalzried H, see Hermeling J 161–166
Schneider H, see Ashworth JR 241–249
Schulz H, see Mirwald PW, et al. 140–148
Steinberg M, see Calas G, et al. 17–36
Stone WEE, see Sanz J, et al. 235–240
Takei H, see Webb SL, et al. 167–171
Tchoubar D, see Calas G, et al. 17–36
Tossell JA: A reinterpretation of the electronic structures of $FeAs_2$ and related minerals 75–80
Tossell JA: A qualitative MO model for bridging bond angle variations in minerals 81–84
Vanleerberghe R, see De Grave E, et al. 85–94
Verdonck L, see De Grave E, et al. 85–94
Vochten R, Goeminne A: Synthesis, crystallographic data, solubility and electrokinetic properties of meta-zeunerite, meta-kirchheimerite and nickel-uranylarsenate 95–100
Webb SL, Jackson I, Takei H: On the absence of shear mode softening in single-crystal fayalite Fe_2SiO_4 at high pressure and room temperature 167–171
Yaskolko VYa, see Gaft ML, et al. 255–260
Yund RA, see Kronenberg AK, et al. 101–112
Zarka A, see Calas G, et al. 17–36

Subject Index, Volume 11

All mineral names occurring in titles, subtitles and abstracts are indexed. Chemical formulae are according to M. Fleischer, Glossary of Mineral Species, 1980 (in some cases simplified) or as given by the author. The numbers refer to the title page. Mineral names not listed in the index of M. Fleischer are marked with an asterisk (*).

A

acmite $NaFeSi_2O_6$
  optical spectra 37
  nuclear gamma ray resonance 37
  intervalence charge transfer 37
alabandite MnS
  nuclear gamma ray resonance 182
alkali feldspars $(K,Na)AlSi_3O_8$
  amazonite 213
  EPR spectra 213
  imaginary potential 2
  iron content 213
  microcline 213
  optical absorption spectra 213
  orthoclase 213
  perthites 213
  sanidine 213
anhydrite $CaSO_4$
  luminescence 255
  EPR spectra 255
anomalous absorption
  potassium feldspar 2
autunite group
  factor group analysis 172
  infrared spectra 172
  sabugalite 172
  saleeite 172
  site symmetry 172

B

babingtonite $Ca_2Fe_2Si_5O_{14}OH$
  intervalence charge transfer 37
  nuclear gamma ray resonance 37
  optical spectra 37
barite $BaSO_4$
  luminescence 255
  EPR spectra 255
beryl $Be_3Al_2Si_6O_{18}$
  optical anomalies 60
  growth history 60
biotite $K(Mg,Fe)_3(Al,Fe)Si_3O_{10}(OH)_2$ cf. mica group

C

calcite $CaCO_3$
  diffusion (C,O) 101
carbonates
  calcite 101
  diffusion 101
cation distribution
  cf. order-disorder
celestite $SrSO_4$
  luminescence 255
  EPR spectra 255
chemical bond
  Al–O 266
  bond angles, MO methods 81, 266
  bond distances 266
  bridging oxygens 266
  bridging angles 266
  silicates: MO 266
  Si–O 266
  tetrahedrite 37
  tetrahedral angles 266
chloritoid $(Fe,Mg,Mn)_2Al_4Si_2O_{10}(OH)_4$
  nuclear gamma ray resonance 85
  infrared spectra 85
cluster variation method
  hematite 125, 132
  ilmenite 132
coalingite $Mg_{10}Fe_2CO_3(OH)_{24} \cdot 2H_2O$
  optical absorption spectrum 225
compressibility
  cf. elastic properties
computational model
  elastic constants 55
computer simulation
  olivine 55
  ringwoodite 55
cordierite $(Mg,Fe)_2Al_4Si_5O_{18}$
  compressibility 140
crystal growth
  beryl 60
  sulfur 149
crystal structure
  ilvaite 67

D

defects
  biotite 235
  olivine 161
  plagioclase 153
  trapping and emission centres 195
  wüstite 250
  zircon 195
deformation
  olivine 5
diaplectic glass
  labradorite 178
  quartz 241
  structure 241
diffusion
  calcite (C,O) 101
  model 113
  olivine 161
  oxygen 101
  rims 113
  tracer 161
diopside $CaMgSi_2O_6$
  cf. pyroxene group
disorder
  cf. order-disorder

E

earth's mantle
  partial melts 5
elastic properties
  cordierite 140
  forsterite 55
  olivine 55
  ringwoodite 55
  spinel 55
electrokinetic properties
  meta-autunite group 95
electron microscopy
  image-matching 153
  plagioclase 153
  potassium feldspar 2
electron paramagnetic resonance (EPR)
  alkali feldspar 213
  anhydrite 255
  barite 255
  celestite 255
  plagioclase: Fe 213
electronic charge transfer
  between iron cations 37
  acmite 37
  aegirine-augite 37
  babingtonite 37
  hedenbergite 37
  ilvaite 37
  lazulite 37
  rockbridgeite 37
  vivianite 37
electronic structure
  loellingite 75
extended X-ray absorption fine structure (EXAFS)
  cf. X-ray spectra

F

factor group analysis
  autunite group 172
  metaautunite group 172
fayalite Fe_2SiO_4
  cf. olivine group
feldspar group
  cf. albite, alkali feldspar, anorthite, plagioclase
forsterite Mg_2SiO_4
  cf. olivine group
framework structures
  bond angle variation 266
  bond length variation 266
  glasses 284
  melts 284
  MO calculations 266
  physical properties 284
  thermodynamics 284

G

glasses
  MO calculations 284
  structure 284
  thermodynamic properties 284
grain boundaries
  migration olivine 5

H

hedenbergite $CaFeSi_2O_6$
  intervalence charge transfer 37
  nuclear gamma ray resonance 37
  optical spectra 37
hematite Fe_2O_3
  magnetic properties 125
  in microcline 213
  order-disorder 125, 132
  phase transition 125
high pressure
  fayalite 167
  niningerite 182
  phase transition 167
hydrolytic weakening
  quartz 204

I

ilmenite $FeTiO_3$
  cluster variation method 132
  order-disorder 132
ilvaite $CaFe_2^{+2}Fe^{+3}(SiO_4)_2(OH)$
  intervalence charge transfer 37
  iron ordering 67
  magnetic structure 67
  mixed valence 37, 67
  nuclear gamma ray resonance 37
  optical spectra 37
image matching 153
infrared absorption (IR) spectra
  autunite group 172
  biotite 235
  chloritoid 85
  metautunite group 172
  metatorbernite 172
  metauranocircite 172
  quartz 204
  sabugalite 172
  saleeite 172
intervalence charge transfer
  cf. electronic charge transfer
iron
  in feldspars 213
  in tourmaline 225
irradiation
  zircon 195

J

jadeite $NaAlSi_2O_6$
  electronic spectra 261
  cf. pyroxene group

K

kinetics
  sintering of olivine 5

L

lattice defects
  cf. defects
lazulite $MgAl_2(PO_4)_2(OH)_2$
  mixed valence 37
  nuclear gamma ray resonance 37
  optical spectra 37
loellingite $FeAs_2$
  electronic structure 75
luminescence
  anhydrite 255
  barite 255
  celestite 255

M

magnetic properties
  tourmaline 225
magnetic structure
  hematite 125
  ilvaite 67
magnetic susceptibility
  cf. magnetic properties
Manicouagan impact crater 178
mantle
  cf. earth's mantle, upper mantle
melts
  MO calculations 284
  structure 284
  thermodynamic properties 284
meta-autunite group
  factor group analysis 172
  infrared spectra 172
  meta-autunite 172
  metakirchheimerite 95
  metatorbernite 172
  metauranocircite 172
  metazeunerite 95
  site symmetry 172
  solubility product 95
  synthesis 95
  zeta potential 95
metakirchheimerite $Co(UO_2)_2(AsO_4)_2 \cdot 8H_2O$
  cf. meta-autunite group
metazeunerite $Cu(UO_2)_2(AsO_4)_2 \cdot 8H_2O$
  cf. meta-autunite group
mica group
  biotite 235
  defects 235
  infrared spectra 235
  nuclear magnetic resonance 235
mixed valence
  acmite 37
  aegirine-augite 37
  babingtonite 37
  hedenbergite 37
  ilvaite 37
  lazulite 37
  rockbridgeite 37
  vivianite 37
molecular orbital (MO) theory
  Al–O 266
  bond angles 81, 266
  bond lengths 266
  bridging angles 266
  bridging oxygens 266
  Si–O 266
  tetrahedral angles 266
morphology
  sulfur 149
Mössbauer spectroscopy
  cf. nuclear gamma ray resonance (NGR)

N

neutron diffraction
  ilvaite 67
niningerite (Mg,Fe)S
  nuclear gamma ray resonance 182
nuclear gamma ray resonance (NGR)
  acmite 37
  aegirine-augite 37
  alabandite 182
  babingtonite 37
  chloritoid 85
  dravite 225
  hedenbergite 37
  ilvaite 37
  lazulite 37
  niningerite 182
  rockbridgeite 37
  troilite 182
  tourmaline 225
  vivianite 37
  wüstite 250
nuclear magnetic resonance (NMR)
  biotite 235

O

olivine group
  defects in fayalite 161
  deformation 5
  diffusion 161
  elastic properties 55
  fayalite 167
  forsterite 55
  growth kinetics 5
  martensitic phase transformation 167
  olivine 161
  shear mode softening 167
  sintering 5
  tracer diffusion 161
  transformation mechanism 167
omphacite (Na,Ca,Mg, Fe)(Mg, Fe, Al)(Si, Al)$_2O_6$
  electronic spectra 261
  cf. pyroxene group
optical absorption spectra
  acmite 37
  aegirine-augite 37
  alkali feldspar 213
  babingtonite 37
  clinopyroxenes 261
  coalingite 225
  Cr in clinopyroxenes 261
  dravite 225
  hedenbergite 37
  hiddenite 261
  ilvaite 37
  jadeite 261
  lazulite 37
  omphacite 261
  plagioclase 213
  rockbridgeite 37
  spodumene 261
  tetrahedrite 52
  tourmaline 225
  vivianite 37
optical anomalies
  beryl 60
order-disorder
  hematite 125, 132
  ilmenite 132
  ilvaite 67
O^- state 113

P

periodic bond chain (PBC) theory
  sulfur 149
perthite
  cf. alkali feldspars
phase transition
  antiferromagnetic-paramagnetic 125
  fayalite 167
  hematite 125
  martensitic 167
plagioclase (Na,Ca)Al(Al, Si)Si_2O_8
  anorthite 213
  diaplectic glass 178
  dislocations 153
  electron microscopy 153
  EPR spectra 213
  iron content 213
  optical absorption spectra 213
  slip systems 153
  cf. albite, anorthite
point defects
  cf. defects
pyroxene group
  acmite 37
  aegirine-augite 37
  *chromediopside 261
  clinopyroxenes 261
  Cr-bearing 261
  diopside 261
  electronic spectra 261
  hedenbergite 37
  hiddenite 261
  jadeite 261
  omphacite 261
  spodumene 261
  ureyite 261

Q

quartz SiO_2
  diaplectic glass 241
  hydrolytic weakening 204
  infrared spectra 204
  shock loading 241
  synthetic 204
  water 204

R

Rietveld refinement
  ilvaite 67
ringwoodite $(Mg,Fe)_2SiO_4$
  elastic properties 55
rockbridgeite (Fe, Mn)$Fe_4(PO_4)_3(OH)_5$
  intervalence charge transfer 37
  mixed valence 37
  nuclear gamma ray resonance 37
  optical absorption spectra 37

S

sabugalite $HAl(UO_2)_4(PO_4)_4 \cdot 16H_2O$
  cf. autunite group
saleeite $Mg(UO_2)_2(PO_4)_2 \cdot 10H_2O$
  cf. autunite group
shear mode softening
  absence in fayalite 167
shock effects
  quartz 241
  shock loading 241
  stishovite 241
silica
  cf. quartz, stishovite
sintering
  olivine 5
site symmetry
  autunite group 172
  meta-autunite group 172
slip systems
  plagioclase 153
small angle X-ray scattering (SAXS)
  by synchrotron radiation 17
solubility
  metazeunerite 95
  metakirchheimerite 95
  uranylarsenates 95
  water 113
spinel group
  elastic properties 55
  Mg_2SiO_4 55
  ringwoodite 55
spodumene $LiAlSi_2O_6$
  electronic spectra 261
  cf. pyroxene group
stishovite SiO_2
  in diaplectic glass 241
structure
  diaplectic glass 178
sulfate
  cf. anhydrite, barite, celestite
sulfur
  crystal growth 149
  morphology 149
  surface energy 149
surface analysis
  cf. morphology
surface energy
  sulfur 149

surface morphology
  cf. morphology
susceptibility
  cf. magnetic properties
synthetic minerals
  quartz 204
  uranylarsenates 95

T

tetrahedrite $(Cu,Fe)_{12}Sb_4S_{13}$
  bonding 52
  composition 52
  optical spectrum 52
thermodynamic properties
  framework structure 284
  glasses 284
  melts 284
thermoluminescence (TL)
  zircon 195
tourmaline
  dravite 225
  ferric iron 225
  magnetic susceptibility 225
  nuclear gamma ray resonance 225
  optical spectra 225
transformation mechanism
  fayalite 167
transmission electron microscopy
  cf. electron microscopy
troilite FeS
  nuclear gamma ray resonance 182

U

upper mantle
  cf. earth's mantle
uranylarsenates 95
uranylphosphates 172
  cf. autunite group, metaautunite group

V

vivianite $Fe_3(PO_4)_2 \cdot 8H_2O$
  intervalence charge transfer 37
  mixed valence 37
  nuclear gamma ray resonance 37
  optical spectra 37

W

water
  in quartz 204
wüstite FeO
  defects 250
  nuclear gamma ray resonance 250

X

X-ray absorption near-edge structure (XANES)
  cf. X-ray spectra
x-ray diffraction
  diaplectic labradorite glass 178
X-ray microradiography
  by synchrotron radiation 17
X-ray spectra
  by synchrotron radiation 17
X-ray topography
  by synchrotron radiation 17

Z

zeta-potential
  uranylarsenates 95
zircon $ZrSiO_4$
  defects 195
  thermoluminescence 195
zoning 113